Commercial Products



GERBER® Commercial Products —

Solutions for schools, high rises, manufacturing, commercial buildings, assisted living facilities and hospitals.

Commercial applications demand the highest quality, most consistent materials and parts in the industry. Since 1932, Gerber has been a leader in the plumbing fixtures industry by focusing on and earning the trust and respect of plumbing professionals.

Over the decades, Gerber has become synonymous with quality and performance by offering an impressive lineup of commercial products including, toilets, urinals, lavatories, faucets and drains. Gerber's comprehensive lineup is sold exclusively to the plumbing professional and is supported with "Best-in-Class" customer service.







DISTRIBUTION - Our national professional distribution network.

VALUES - We are committed to our customers, our employees and our planet. Gerber employees strive to deliver world class products and support that reflect our passion for excellence.

and reliability is our top priority, and every Gerber employee is charged with maintaining and delivering on that promise. Our North American based customer service team is empowered to provide real solutions to drive customer satisfaction.

WARRANTY - Our products are among the most reliable out there and we are proud to stand behind them with industry leading warranty coverage and support.

GERBER® Pressure-Assist Toilets

Gerber pressure-assist toilets are a true high-performance, low consumption alternative to gravity-fed models and are hydraulically designed to "push" contents out of the trapway.

Powered by the **FLUSHMATE** Pressure-Assist operating system, Ultra Flush® toilets feature maximum bowl clearing and line carry. The proprietary trapway design precisely balances push and pull forces for an industry leading flush while a larger water surface in the bowl reduces odors and keeps the bowl cleaner by reducing the dry surface area, thereby decreasing housekeeping time.



ULTRA FLUSH[®] 1.1 gpf/4.0 Lpf

Ideal for: Hospitality, Medical Settings, Student Housing, Public Restrooms, Assisted Living, and Restaurants.

- Flushes up to 1,250g per flush, over 5x the personal average output
- Insulated, non-sweating tank
- Chrome tank lever
- May be used in applications where old iron pipes are installed
- Optional right-handed trip lever available
- Toilet seat not included
- Available in white and biscuit

ULTRA FLUSH®					
	ROUGH-IN	1.1 gpf/ 4.0 Lpf	1.28 gpf/ 4.8 Lpf	1.6 gpf/ 6.0 Lpf	
ROUND FRONT	10″		•	•	
	12″	•	•	•	
	14"	•	•	•	
ELONGATED	10″		•	•	
	12"	•	•	•	
	14"	•	•	•	
ERGOHEIGHT	10″		•	•	
	12″	•	•	•	
	14"	•	•	•	
BACK OUTLET	_	•	•	•	



ULTRA FLUSH® ELONGATED, ERGOHEIGHT™

COMBINATION	BOWL	TANK	ROUGH-IN
EF-21-318	21-377	EF-28-380	12″









ULTRA FLUSH®	ELONGATED		
COMBINATION	BOWL	TANK	ROUGH-IN
FF-21-312	21-372	FF-28-380	12"











ULTRA FLUSH® ROUND FRONT					
COMBINATION	BOWL	TANK	ROUGH-IN		
EF-21-302	21-342	EF-28-380	12″		









ULTRA FLUSH[®] 1.28 gpf/4.8 Lpf

Ideal for: Hospitality, Medical Settings, Student Housing, Public Restrooms, Assisted Living, and Restaurants.

- Flushes up to 1,250g per flush, over 5x the personal average output
- Sloan Flushmate pressure vessel
- Insulated, non-sweating tank
- Chrome plated all metal tank lever
- Optional locking lid available
- May be used in applications where old iron pipes are installed
- Optional right-handed trip lever available
- Toilet seat not included
- Available in white and biscuit

ULTRA FLUSH®					
	ROUGH-IN	1.1 gpf/ 4.0 Lpf	1.28 gpf/ 4.8 Lpf	1.6 gpf/ 6.0 Lpf	
ROUND FRONT	10″		•	•	
	12"	•	•	•	
	14"	•	•	•	
ELONGATED	10″		•	•	
	12"	•	•	•	
	14"	•	•	•	
ERGOHEIGHT	10″		•	•	
	12"	•	•	•	
	14"	•	•	•	
BACK OUTLET	_	•	•	•	
		'			



ULTRA FLUSH® ELONGATED, ERGOHEIGHT™					
COMBINATION	BOWL	TANK	ROUGH-IN		
HE-21-317	HE-21-377	HE-28-385	10″		
HE-21-318	HE-21-377	HE-28-380	12"		
HE-21-324	HE-21-377	HE-28-384	14"		









ULTRA FLUSH® ELONGATED				
COMBINATION	BOWL	TANK	ROUGH-IN	
HE-21-311	HE-21-372	HE-28-385	10″	
HE-21-312	HE-21-372	HE-28-380	12″	
HE-21-314	HE-21-372	HE-28-384	14"	











ULTRA FLUSH® ROUND FRONT						
COMBINATION	BOWL	TANK	ROUGH-IN			
HE-21-300	HE-21-342	HE-28-385	10″			
HE-21-302	HE-21-342	HE-28-380	12"			
HE-21-304	HE-21-342	HE-28-384	14"			







ULTRA FLUSH[®] 1.6 gpf/6.0 Lpf

Ideal for: Medical Settings, Student Housing, Public Restrooms, Assisted Living and Restaurants.

- Flushes up to 1,250g per flush, over 5x the personal average output
- Sloan Flushmate pressure vessel
- Insulated, non-sweating tank
- Chrome plated all metal tank lever
- Optional locking lid available
- May be used in applications where old iron pipes are installed
- Optional right-handed trip lever available
- Toilet seat not included
- Available in white and biscuit

ULTRA FLUSH®				
	ROUGH-IN	1.1 gpf/ 4.0 Lpf	1.28 gpf/ 4.8 Lpf	1.6 gpf/ 6.0 Lpf
ROUND FRONT	10″		•	•
	12″	•	•	•
	14"	•	•	•
ELONGATED	10″		•	•
	12"	•	•	•
	14"	•	•	•
ERGOHEIGHT	10″		•	•
	12"	•	•	•
	14"	•	•	•
BACK OUTLET	_	•	•	•



ULTRA FLUSH® ELONGATED, ERGOHEIGHT™					
COMBINATION	BOWL	TANK	ROUGH-IN		
21-317	21-377	28-385	10"		
21-318	21-377	28-380	12"		
21-324	21-377	28-384	14"		



ULTRA FLUSH®	ELONGATED		
COMBINATION	BOWL	TANK	ROUGH-IN
21-311	21-372	28-385	10"
21-312	21-372	28-380	12"
21-314	21-372	28-384	14"





ULTRA FLUSH® ROUND FRONT							
COMBINATIO	ON BOWL	TANK	ROUGH-IN				
21-300	21-342	28-385	10"				
21-302	21-342	28-380	12"				
21-304	21-342	28-384	14"				



The Avalanche offers top rated flushing technology with the most powerful and effective gravity flush on the market today. The Avalanche operates with an average maximum performance or (MaP rating) of 1000 grams - which is the highest rating available.

More head pressure via a taller, slimmer tank design, feeds water faster through the large 3" flush valve which accelerates water flow within the bowl, producing a more powerful flush. Unique jets and a large water surface keep the bowl pristine and rinses the well thoroughly without back-splash.

WS-21-818

AVALANCHE 1.28 gpf/4.8 Lpf

Best for: Hospitality, Student Housing and Restaurants.

- Quiet, quick and precise refill
- Best-in-class Fluidmaster fill valve
- 3" flush valve for quick, effective bowl clearing
- Extra stability with six points of contact to avoid leaks
- · Sanitary bead for easy cleaning

- Unique, rim jet design washes the bowl clean
- Matching all metal tank lever (also available in Chrome and Right-hand options), and floor bolt covers
- Tool free installation



AVALANCHE® ELONGATED, ERGOHEIGHT™					
COMBINATION	BOWL	TANK	ROUGH-IN		
WS-21-817	AV-21-828	WS-28-895	10"		
WS-21-818	AV-21-828	WS-28-890	12"		
WS-21-824	AV-21-828	WS-28-894	14"		









AVALANCHE® ELONGATED				
COMBINATION	BOWL	TANK	ROUGH-IN	
WS-21-810	AV-21-862	WS-28-895	10″	
WS-21-812	AV-21-862	WS-28-890	12″	
WS-21-814	AV-21-862	WS-28-894	14"	









AVALANCHE® ROUND FRONT				
COMBINATION	BOWL	TANK	ROUGH-IN	
WS-21-800	AV-21-852	WS-28-895	10"	
WS-21-802	AV-21-852	WS-28-890	12"	
WS-21-804	AV-21-852	WS-28-894	14"	













Popular with architects and commercial specifiers, back outlet toilets are the perfect solution for challenging applications where in-wall plumbing designs are used. Gerber is one of the few manufacturers offering pressure-assisted back outlet toilets.



HE-21-310

PUBLIC RESTROOM

ULTRA FLUSH® Pressure Assist Back Outlet

- Flushes up to 1,250g per flush, over 5x the personal average output
- Sloan Flushmate pressure vessel (1.28 and 1.6 gpf)
- Optional right-handed trip lever available
- Optional lid-locking device to prevent vandalism of toilet in public restrooms
- Toilet seat not included
- Available in white

1.1 gpf/4 Lpf

ULTRA FLUSH® ELONGATED, BACK OUTLET					
COMBINATION	BOWL	TANK	ROUGH-IN		
EF-21-310	21-374	EF-28-380	4 1/4" Vertical		
EF-21-325	21-375 ErgoHeight™	EF-28-380	4 1/4" Vertical		













1.28 gpf/4.8 Lpf

ULTRA FLUSH® ELONGATED, BACK OUTLET					
COMBINATION	BOWL	TANK	ROUGH-IN		
HE-21-310	HE-21-374	HE-28-380	4 1/4" Vertical		
HE-21-325	HE-21-375 ErgoHeight™	HE-28-380	4 1/4" Vertical		









1.6 gpf/6 Lpf

ULTRA FLUSH® ELONGATED, BACK OUTLET					
COMBINATION	BOWL	TANK	ROUGH-IN		
21-310	21-374	28-380	4 1/4" Vertical		
21-325	21-375 ErgoHeight™	28-380	4 1/4" Vertical		





For Back Outlet Spud Bowls, please see pages 13-17.



GERBER® Back Outlet Toilets - Gravity Flush

Popular with architects and commercial specifiers, back outlet toilets are the perfect solution for challenging applications where in-wall plumbing designs are used. Gerber is one of the few manufacturers offering gravity-assisted back outlet toilets.



DUBLIC DESTROOM

MAXWELL® Gravity Flush Back Outlet

Ideal for: Medical Environments, Hospitality, Public Restrooms and Multi-family Units.

- Dual siphon jets provide power to base of bowl
- Color matched, front-mount tank lever
- 3" Flush Valve provides powerful water delivery to the bowl for better flushing
- Pilot Fill Valve for consistent refill operation
- 2" Glazed trapway for efficient waste removal
- Toilet seat not included
- Available in white

1.28 gpf/4.8 Lpf

COMPACT ELONGATED, ERGOHEIGHT™ BACK OUTLET				
COMBINATION	BOWL	TANK	ROUGH-IN	
20-022	21-975	28-980	4 1/4" Vertical	







THET A PRIGHT HAND OPTION AVAILABLE





1.28 gpf/4.8 Lpf

MAXWELL® WALL-HUNG BACK OUTLET					
COMBINATION	BOWL	TANK	ROUGH-IN		
20-021	21-970	28-970	4 1/4" Vertical		







* Right hand option available

1.6 gpf/6.0 Lpf

COMPACT ELONGATED, ERGOHEIGHT™ BACK OUTLET				
COMBINATION	BOWL	TANK	ROUGH-IN	
MX-21-022	21-975	MX-28-995	4 1/4" Vertical	





For Back Outlet Spud Bowls, please see page 15.

13

GERBER® Spud Bowls

Spud bowls use line pressure direct from the supply line for greater power than a tank based toilet. This is particularly desirable in high use commercial applications which need a high level of durability, consistency and power that a tank version can't provide.

Spud bowls are more compatible with commercial buildings which house predominantly in-wall plumbing.





NORTH POINT Back Outlet 1.28 gpf/4.8 Lpf Spud Bowls

Ideal for: Public Restrooms, Schools, Sporting Arenas and Commercial Applications.

- 1 1/2" spud for flushometer valve
- Water surface exceeds minimum of 12" x 10" for optimal bowl cleaning
- Trapway exceeds minimum of 2" for consistent, powerful flushing
- Water seal exceeds minimum of 2 1/2"
- Toilet seat not included
- Flushometer valve not included
- Available in white

NORTH POINT" ELONGATED WALL HUNG, REAR SPUD BOWL					
MODEL	DESCRIPTION	DIMENSIONS	ROUGH-IN		
25-038	Siphon-jet 11/2" spud	16 1/8" H x 14 3/4" W x 25 3/4" D	5 1/4" to 7 1/4		



HET &

Water surface from rim - 5"



NORTH POINT TOP SPUD ELONGATED WALL HUNG REAR SPUD BOWL					
MODEL	DESCRIPTION	DIMENSIONS	ROUGH-IN		
25-033	Siphon-jet 1 1/2" spud	13" H x 14 3/4" W x 25 5/8" D	5 1/4" to 7 1/4"		



Water surface from rim - 5"

ELONGATED 1.6 gpf/6 Lpf REAR SPUD BOWL					
MODEL	DESCRIPTION	DIMENSIONS	ROUGH-IN		
25-874	Siphon-jet 1 1/2" spud	14 1/4" H x 14 3/4" W x 29 7/8" D	4 1/4" vertical		







NORTH P	OINT TOP SPUD ELONG	ATED ERGOHEIGHT [™] BACK OUTLET S	SPUD BOWL
MODEL	DESCRIPTION	DIMENSIONS	ROUGH-IN
25-878	Siphon-jet 1 1/2" spud	16 1/2" H x 14 5/8" W x 30" D	4 1/4" vertical

HET &

Water surface from rim - 4 5/8"

NORTH POINT 1.28 gpf/4.8 Lpf Spud Bowls

Ideal for: Public Restrooms, Schools, Sporting Arenas and Commercial Applications.

NORTH POINT™ 1.28 gpf/4.8 Lpf and 1.6 gpf/6.0 Lpf Spud Bowls

- 1 1/2" spud for flushometer valve
- Water surface exceeds minimum of 12" x 10" for optimal bowl cleaning
- Trapway exceeds minimum of 2" for consistent, powerful flushing
- Water seal exceeds minimum of 2 1/2"
- Flushometer valve not included
- Available in white
- Toilet seat not included



NORTH POINT	™ FI ON	IGATED	TOP SE	UD BOWL
NORTH OIL	LLOI	IOAILD	101 31	

MODEL	DESCRIPTION	DIMENSIONS	ROUGH-IN
25-833	Siphon-jet 1 1/2" spud	14 7/8" H x 14 1/2" W x 27 1/2" D	10"



Water surface from rim - 5-1/2"



NORTH POINT ELONGATED ERGOHEIGHT TOP SPUD BOWL			
MODEL	DESCRIPTION	DIMENSIONS	ROUGH-IN
25-733	Siphon-jet 1 1/2" spud	17" H x 14 3/4" W x 27 3/8" D	10"



Water surface from rim - 5-1/2"

NORTH POINT™ JUNIOR 1.28 gpf/4.8 Lpf ELONGATED TOP SPUD BOWL

ĺ	MODEL	DESCRIPTION	DIMENSIONS	ROUGH-IN
	25-872	Siphon-jet 1 1/2" spud	13 3/8" H x 14 5/8" W x 27 1/2" D	10″



Water surface from rim - 4 1/2"

 Complies with Texas Accessibility Standards (TAS) for grades Pre-K through 6



16

SPUD BOWLS 1.6 gpf/6.0 Lpf Spud Bowls

Ideal for: Public Restrooms, Schools, Sporting Arenas and Commercial Applications.

GERBER® 1.6 gpf/6.0 Lpf Spud Bowls

- Round Front Bowl
- Siphon Jet

- Large Trapway
- Toilet seat not included

ROUND FRONT 1.6 gpf/6 Lpf TOP SPUD BOWL				
MODEL DESCRIPTION DIMENSIONS				
25-820	25-820 Siphon-jet 14" H x 14 1/2" W x 25 1/2" D			

Water surface from rim - 4 5/8"





ROUND FRONT 1.6 gpf/6 Lpf REAR SPUD BOWL

MODEL	DESCRIPTION	DIMENSIONS	ROUGH-IN
25-642-30	Siphon-jet 11/2" spud	14 7/8" H x 14 1/2" W x 25 1/2" D	10"
25-642-31	Siphon-jet 11/4" spud	16 3/8" H x 15 1/2" W x 20 3/4" D	10″

Water surface from rim - 6 5/8"

GERBER® Urinals

In busy public or commercial washrooms, Gerber urinals are installed for efficiency and ease of cleaning. They are also designed to minimize splash to keep the floor clean.





NORTH POINT™

Ideal for: Public Restrooms, Schools, Sporting Arenas and High Traffic Spaces.

- High efficiency urinals
- Elongated rim (14" from finish wall)
- Flushing rim urinal with washout flush action
- Available in white



NORTH PO	INT [™] 0.125 gpf/0	0.5 Lpf TOP SPUD URINALS		
MODEL	DESCRIPTION	DIMENSIONS	INLET	OUTLET
HE-27-731	Half Stall	27 1/8" H x 17 7/8" W x 14" D	3/4"	2″
HE-27-721	Space Saver	21 7/8" H x 14 1/4" W x 14" D	3/4"	2″







ΕТ				
ET				
			1	
				-

NORTH POI	NI 0.5 gpt/1.9	LPT TOP SPUD URINALS		
MODEL	DESCRIPTION	DIMENSIONS	INLET	OUTLET
HE-27-730	Half Stall	27 1/8" H x 17 7/8" W x 14" D	3/4"	2″
HE-27-720	Space Saver	21 7/8" H x 14 1/4" W x 14" D	3/4"	2″





HE-27-720

HE-27-730

Note: Flushometer valves are not included with urinals

URINALS — Top Spud

Ideal for: Public Restrooms, Schools, Sporting Arenas and High Traffic Spaces.

LAFAYETTE 1.0 gpf/3.8 Lpf WASHOUT, WALL HUNG URINAL			
MODEL	DIMENSIONS	INLET	OUTLET
27-740	18 1/2" H x 13 1/2" W x 13 1/4" D	3/4"	1 1/2"

- Uses minimal wall space
- Integral strainer
- One-piece hanger
- Available in white





CLINTON SPACE SAVER 1.0 gpf/3.8 Lpf WALL HUNG URINAL			
MODEL DIMENSIONS INLET OUT			
27-750	21 3/4" H x 14" W x 14 3/8" D	3/4″	2″



- Uses minimal wall space
- Dual hangers
- 2" SPS female outlet connection supplied
- Siphon-jet
- Available in white

HAMILTON [™] 1.0 gpf/3.8 Lpf WALL HUNG URINAL			
MODEL	DIMENSIONS	INLET	OUTLET
27-770	26 1/2" H x 18" W x 14 1/2" D	3/4″	2″
<u>ا</u>		I	l



- Integral flush spreader
- Extended shields
- Dual hangers
- 2" SPS female outlet connection supplied
- Siphon-jet
- Available in white





MONITOR [™] 1.0 gpf/3.8 Lpf WASHOUT, WALL HUNG URINAL				
	MODEL	DIMENSIONS	INLET	OUTLET
	27-780	26 3/4" H x 18 1/2" W x 12 1/2" D	3/4″	2″

- Integral flush spreader
- Extended shields
- Dual hangers
- 2" SPS female outlet connection supplied
- Available in white

PEE WEE™ 1.28 gpf/4.8 Lpf HET Toilet

The PeeWee™ 1.28 gpf/4.8 Lpf toilet is ergonomically designed for toddlers and is ideal for use in schools and child care facilities.

- Dual fed siphon jets drive a powerful flush for consistent bowl clearing
- 3" flush valve for superior flush power
- Fully glazed trapway to optimize flush speed and waste suction
- Toilet-In-A-Box configuration includes:
- 1.28 gpf / 4.8 Lpf Tank
- Bowl fits 10" Rough-in
- Floor mount bolts
- Wax ring
- Standard open front toilet seat
- Lid locking kit comes standard on all models
- Right hand flush is optional
- Available in white

MODEL	DIMENSIONS	ROUGH-IN
HE-20-601	15 3/4" W x 23 7/8" H x 24 5/8" D	10"



GERBER® Hygiene and Medical Scrub Sinks

Medical environments demand a high level of imperviousness, durability, hygiene, and dependability. Hand hygiene sinks benefit those environments where hygiene and cross-contamination control is of concern. As hospitals and medical facilities strive to reduce the risk of patient contamination and infection for inpatient care, Gerber hygiene and medical sink options can make a significant difference in strengthening those environments.





MEDICAL & HEALTHCARE FIXTURES

Ideal for: Hospitals, Doctors' Offices, Senior Living Environments and Professional Medical Facilities.

MONTICELLO™ SINGLE HOLE WALL-HUNG HYGIENIC HOSPITAL BASIN

MODEL	DESCRIPTION	DIMENSIONS
NH-12-661	Single Hole	15 5/8" H x 20 7/8" W x 19 1/8" D

- Deep basin with sloped angles to minimize splashing and contamination
- Offset drain to reduce splashing and contamination
- Single Hole configuration
- Available in white
- Complies with CSA Z8000 Standard





NORTH POINT™ WALL-HUNG HYGIENIC BASINS

MODEL	DESCRIPTION	DIMENSIONS
NH-12-478	8" Centers	6 5/8" H x 21 1/2" W x 22" D
NH-12-474	4" Centers	6 5/8" H x 21 1/2" W x 22" D

- Sealed overflow to minimize hazards of germ collection
- Punched for use with a concealed arm carrier
- Optional shroud 29-832



MONTICELLO™ THREE HOLE WALL-HUNG HYGIENIC BASINS WITH BACKSPLASH

MODEL	DESCRIPTION	DIMENSIONS
NH-12-658	8" Centers	13" H x 20 1/4" W x 18 1/2" D
NH-12-654	4" Centers	13" H x 20 1/4" W x 18 1/2" D

- Overflow removed for contamination prevention
- 20" x 18" wall hung lavatory with backsplash
- Self draining integral soap dishes
- Universally accessible, ADA compliant when properly installed
- Holes provided for legs and towel bars
- Punched for use with arm carrier
- Fast Aligning one-piece wall hanger included





MAXWELL™ SELF-RIMMING COMMERCIAL HYGIENIC BASINS

MODEL	DESCRIPTION	DIMENSIONS
NH-12-838-CH	8" Centers	8 1/2" H x 21" W x 17 7/8" D
NH-12-834-CH	4" Centers	8 1/2" H x 21" W x 17 7/8" D

- Overflow removed for contamination prevention
- Large faucet deck, wide raised 3/4" lip
- ADA compliant when properly installed
- Available in white



GERBER® Commercial Sinks

Commercial bathroom sinks from Gerber are designed for a variety of applications and are available in a wide selection of under-counter, self-rimming or wall hung options. The high quality vitreous china construction is durable and easy to clean. ADA compliant models designed for accessible spaces are also available.





SINKS

Ideal for: Public Restrooms, Schools, Manufacturing Facilities, Office Buildings

LUXOVAL™ SELF-RIMMING SINK		ELF-RIMMING SINK	
	MODEL	DESCRIPTION	DIMENSIONS
	12-844	4" Centers	9 1/2" H x 20" W x 17 3/8" D





- Generous wash basin
- Concealed front overflow
- Available in white, bone and biscuit



	MAXWELL™ OVAL SELF-RIMMING SINK		
	MODEL	DESCRIPTION	DIMENSIONS
	12-838-CH	8" Centers	8 1/2" H x 21" W x 17" D
	12-834-CH	4" Centers	8 1/2" H x 21" W x 17" D
ĺ	12-831-CH	Single Hole	8 1/2" H x 21" W x 17" D

- Large faucet deck, wide raised 3/4" lip
- Concealed front overflow
- Available in white

•
1
7
\bigcirc

MAXWELL™ ROUND SELF-RIMMING SINK			INK
	MODEL	DESCRIPTION	DIMENSIONS
	12-884-CH	4" Centers	8 1/2" H x 19 1/4" W x 19 1/4" D

- Large faucet deck, wide raised 3/4" lip
- Concealed front overflow
- Available in white





SINKS

Ideal for: Public Restrooms, Schools, Manufacturing Facilities, Office Buildings

LUXOVAL" PETITE UNDERCOUNTER SINK		
MODEL	DESCRIPTION	DIMENSIONS
12-770	Undercounter	7 5/8" H x 18 3/8" W x 15 3/8" D
12-770-F	Undercounter	7 5/8" H x 18 3/8" W x 15 3/8" D
12-780	Undercounter	8 1/4" H x 19 1/2" W x 15 1/8" D



- Smaller design for tight spaces
- Rear overflow (12-770 only)
- Front overflow (12-770-F only)
- Concealed front overflow (12-780 only)
- Basin 12-770 16 5/8" x 13 1/2"
- Basin 12-780 17 1/8" x 13 1/4"
- Available in white, bone and biscuit



NORTH POINT™ WALL HUNG SINK		1000
MODEL	DESCRIPTION	DIMENSIONS
12-478	8" Centers	6 5/8" H x 21 1/2" W x 22" D
12-474	4" Centers	6 5/8" H x 21 1/2" W x 22" D

- Rear overflow
- Recessed self-draining deck
- Punched for use with concealed carrier
- Optional wall hung shroud (29-832)
- Basin 15 3/4" x 15 3/8"
- Available in white

MONTICELLO) II [™] LEDGE WALL HUNG	SINK
MODEL	DESCRIPTION	DIMENSIONS
12-658	8" Centers	13" H x 20 1/4" W x 18 1/2" D
12-654	4" Centers	13" H x 20 1/4" W x 18 1/2" D



- Traditionally designed with back overflow
- Fast aligning one-piece wall hanger
- Two convenient self-draining soap dishes
- Holes provided for legs and towel bars
- Punched for carrier
- Basin 15" x 10"
- Available in white






SINKS

Ideal for: Public Restrooms, Schools, Manufacturing Facilities, Office Buildings

EATON WHEELCHAIR WALL HUNG SINK		
MODEL	DESCRIPTION	DIMENSIONS
12-468	8" Centers	7″ H x 20″ W x 27″ D
12-464	4" Centers	7″ H x 20″ W x 27″ D





- Requires concealed arm carrier (not included)
- Available in white



HAYES [™] LEDGE TYPE WALL HUNG SINK			NK	
	MODEL	DESCRIPTION	DIMENSIONS	
	12-384	4" Centers	10 1/2" H x 20" W x 18" D	

- Concealed front overflow
- Two integral self-draining soap dishes
- Fast aligning one-piece wall hanger
- Holes provided for legs and towel bars
- Punched for carrier
- Basin 15 1/4" x 10 3/8"
- Available in white

WEST POINT SPACE SAVER WALL HUNG LEDGE TYPE SINK			
MODEL	DESCRIPTION	DIMENSIONS	
12-354	4" Centers	8 1/8" H x 14" W x 12" D	





- Two integral self-draining soap dishes
- Fast aligning one-piece wall hanger
- Basin 12" x 7 3/4"
- Available in white



PLYMOUTH	SPACE SAVER WALL HU	NG LEDGE TYPE SINK	
MODEL	DESCRIPTION	DIMENSIONS	
12-314	4" Centers	10 1/2" H x 19" W x 17" D	

- Concealed front overflow
- Fast aligning one-piece wall hanger
- Two integral self-draining soap dishes
- Holes provided for legs and towel bars
- 12-314-98: Punched for carrier
- Basin 15" x 10 3/4"
- Available in white



27

GERBER® Commercial Faucets and Flush Valves

The right faucet or flush valves are essential components for completing a commercial space. Durability, consistency and accessibility are key to choosing the right model and manufacturer.

Gerber products have been trusted for over 80 years and our reputation for quality gives you the security of choosing a product that is made to exacting product specifications and the highest of standards.



RESTAURANT

Ideal for: Public Restrooms, Schools, Manufacturing Facilities, Medical Facilities, Office Buildings.

SINGLE HOLE METERING FAUCETS

MODEL	DESCRIPTION
44-346	Single hole

- Solid brass construction
- Vandal-resistant aerator and vandal resistant screw
- Slow self close cartridges
- 10-30 second adjustable run time preset to 10 seconds
- Lead free waterway per ANSI 372
- 0.25 gallons per cycle, @ 60 psi
- 4" deck plate sold separately
- CEC compliant
- Durable chrome finish





THREE HOLE METERING FAUCETS


MODEL	DESCRIPTION
44-340	4" Centers

- Color-coded handles
- Solid brass construction
- Vandal-resistant aerator and vandal resistant screw
- Slow self close cartridges
- 10-30 second adjustable run time preset to 10 seconds
- Lead free Waterway per ANSI 372
- 0.25 gallons per cycle, @ 60 psi
- CEC compliant
- Durable chrome finish

SINGLE HANDLE BATHROOM FAUCET

MODEL	DESCRIPTION
C0-44-934	With metal pop-up drain
CO-44-932	With grid strainer and plug
C0-44-951	Less drain, with plug

- Vandal proof metal lever handles
- Ceramic Cartridge with temp limit stops
- Solid brass construction
- Extra long all brass handle
- Lead free per ANSI 372
- 0.5 gpm maximum aerator @ 60 psi
- 4" centers
- CEC compliant
- Durable chrome finish





Ideal for: Public Restrooms, Schools, Manufacturing Facilities, Medical Facilities, Office Buildings.

TWO HANDLE BATHROOM FAUCETS

MODEL	DESCRIPTION
C4-44-551	With metal pop-up drain
C4-44-542	With grid strainer and plug
C4-44-541	Less drain, with plug



- Centerset with color-coded, vandal resistant handles
- Solid brass construction
- Ceramic cartridges
- 0.5 gpm maximum aerator @ 60 psi
- 4" centers
- Lead free per ANSI 372
- CEC compliant
- Durable chrome finish



TWO HANDLE BATHROOM FAUCETS

MODEL	DESCRIPTION
CO-44-551	With metal pop-up drain
C0-44-542	With grid strainer and plug
CO-44-541	Less drain, with plug

- Color-coded, vandal-resistant handles
- Wrist-blade handles allow for hands-free operation
- Solid brass construction
- Ceramic cartridges
- Lead free per ANSI 372
- 0.5 gpm maximum aerator @ 60 psi
- 4" centers
- CEC compliant
- Durable chrome finish

TWO HANDLE, WIDESPREAD BATHROOM FAUCETS

	MODEL	DESCRIPTION
	C4-44-154-61	Flex connections, less drain
	C4-44-154	Rigid connections,less drain
	C4-44-105-61	Gooseneck spout, flex connections, less drain



- 6" 12" Centers
- Ceramic Cartridges
- Solid brass construction
- Lead free per ANSI 372
- 0.5 gpm maximum aerator @ 60 psi
- CEC compliant
- Durable chrome finish





C4-44-105-61



C4-44-154-61

Ideal for: Public Restrooms, Schools, Manufacturing Facilities, Medical Facilities, Office Buildings.

TWO HANDLE, GOOSENECK BATHROOM FAUCETS

MODEL	DESCRIPTION
C4-44-555	With grid strainer
C4-44-554	Less drain, with plug

- Lever handles
- Ceramic cartridges
- Solid brass construction
- Lead free per ANSI 372
- 0.5 gpm maximum aerator @ 60 psi
- 4" centers
- CEC compliant
- Durable chrome finish









TWO HANDLE, GOOSENECK BATHROOM FAUCETS

MODEL	DESCRIPTION
CO-44-555	With grid strainer
C0-44-554	Less drain

- Color-coded, vandal-resistant handles
- Wrist-blade handles allow for hands-free operation

🚳 🕹 📎

- Solid brass construction
- Ceramic cartridges
- Lead free per ANSI 372
- 0.5 gpm maximum aerator @ 60 psi
- 4" centers
- CEC compliant
- Durable chrome finish

TWO HANDLE, WIDESPREAD BATHROOM FAUCETS

MODEL	DESCRIPTION
CO-44-154-61	Flex connections, less drain
CO-44-154	Rigid connections, less drain
CO-44-105-51	Gooseneck spout, flex connections, less drain

- Color-coded, vandal-resistant handles
- Wrist-blade handles allow for hands-free operation
- 6" 12" Centers
- Solid brass construction
- Ceramic cartridges
- Lead free per ANSI 372
- 0.5 gpm maximum aerator @ 60 psi
- CEC compliant
- Durable chrome finish









CO-44-105-61



CO-44-154-61

31


Ideal for: Public Buildings, School Cafeterias, Manufacturing Facilities, Medical Facilities, Office Kitchens.



0 4 4 4 71	
(4-44-/1	ч



C4-44-779







- 8" centers for mounting
- Ceramic disc cartridges
- Lead free per ANSI 372
- 1.75gpm Aeration/2.2gpm Spray Aerator @ 60 psi
- CEC compliant
- Durable chrome finish



Ideal for: Public Buildings, School Cafeterias, Manufacturing Facilities, Medical Facilities, Office Kitchens.

KITCHEN AND BAR DECK MOUNT FAUCETS WITH WRIST BLADE HANDLES	
MODEL	DESCRIPTION
CO-44-019	Two wrist blade handles, less spray
CO-44-719	Two wrist blade handles, with spray
C0-44-079	Two wrist blade handles, 12″ gooseneck spout, less spray
CO-44-779	Two wrist blade handles, 12″ gooseneck spout, with spray
C0-44-454	8" Gooseneck, 1/2" male connectors, less drain



- Vandal resistant wrist blade handles
- Color-coded handle screws
- Solid brass construction
- 8" centers for mounting
- Ceramic disc cartridges
- Lead free per ANSI 372
- 1.75gpm Aeration/2.2gpm Spray Aerator @ 60 psi
- CEC compliant
- Durable chrome finish



C4-44-393



KITCHEN WALL MOUNT FAUCETS WITH LEVER HANDLES

MODEL	DESCRIPTION
C4-44-393	Two lever handles, with 8" swing spout
C4-44-333	Two lever handles, with 12" swing spout
C4-44-343	Two lever handles, with 12" high-arc swing spout

- Solid brass construction
- Ceramic disc cartridges
- Lead free per ANSI 372
- 1.75gpm aeration @ 60 psi
- 8" centers for mounting with +/- 1" of adjustment
- ADA compliant
- CEC compliant
- Durable chrome finish



CO-44-779

3.

Ideal for: Public Buildings, School Cafeterias, Manufacturing Facilities, Medical Facilities, Office Kitchens.

KITCHEN WALL MOUNT FAUCETS WITH WRIST BLADE HANDLES

		_
	MODEL	DESCRIPTION
	CO-44-393	Two wrist blade handles, with 8″ swing spout
	CO-44-333	Two wrist blade handles, with 12" swing spout
	C0-44-343	Two wrist blade handles, with 12″ high-arc swing spout



- Color-coded handle screws
- Threaded escutcheons
- Solid brass construction
- Ceramic disc cartridges
- Lead free per ANSI 372
- 1.75gpm Aeration @ 60 psi
- 8" centers for mounting with +/- 1" of adjustment
- CEC compliant
- Durable chrome finish



CO-44-333



CO-44-343

MECHANICAL FLUSH VALVES

Ideal for: Public Buildings, School Cafeterias, Manufacturing Facilities, Medical Facilities, Office Kitchens.

FLUSHOMETER URINAL FLUSH VALVES - MECHANICAL

MODEL	DESCRIPTION
44-750	1.0 gpf urinal flush valve mechanical

- Manual flush valve for urinal
- Diaphragm type
- Adjustable between 4 1/2" to 5" from center of angle screw stop to center of the main housing
- Copper casting and chrome plated housing
- ADA compliant metal oscillating handle
- 3/4" IPS angle screw stop
- Ground joint piece included
- High back pressure vacuum breaker w/one piece bottom hex coupling nut
- Coupling and flange for 3/4" top spud bowl





FLUSHOMETER URINAL FLUSH VALVES - MECHANICAL

MODEL	DESCRIPTION
44-762	1.28 gpf toilet flush valve mechanical
44-763	1.28 gpf with 11/4" tailpiece toilet flush valve mechanical

- Manual flush valve for toilet
- Diaphragm type
- Adjustable between 4 1/2" to 5" from center of angle screw stop to center of the main housing
- Copper casting and chrome plated housing
- ADA compliant metal oscillating handle
- 1" IPS angle screw stop
- Ground joint piece included
- High back pressure vacuum breaker w/one piece bottom hex coupling nut
- Coupling and flange for 1 1/4" top spud bowl



Commercial Products



gerberonline.com U.S. 866.538.5536 Canada 866.884.8841

For warranty information visit gerberonline.com